



MANSIL-THK[®]

THICKENING GRADE PRECIPITATED SILICA

DESCRIPTION

ULTRA WHITE FINE MILLED POWDER HAVING EXCELLENT THICKENING PROPERTY RESULTING IN SUPERIOR ENHANCEMENT OF VISCOSITY OF THE PRODUCT.

SPECIFICATIONS

Sr. No.	PHYSICO-CHEMICAL PROPERTIES	UNIT	TEST METHOD	MANSIL-THK
1	Appearance	**	Visual	White Fine Odourless Powder
2	Bulk Density (When packed)	gms/lit.	ISO 787/11	80 - 130
3	Moisture (at 105°C/2 hrs.)	%	ISO 787/2	6.0 Max
4	Ignition Loss (at 1000°C/2 hrs.) on anhydrous basis	%	ISO 3262/11	6.0 Max
5	pH (5% aqu. suspn.)	**	ISO 787/9	6.0 - 7.0
6	Avg. Particle Size, d-50 (Malvern)	Micron	ISO 13320-1	10.0 - 15.0
7	Residue on 325 Mesh (Wet Sieving)	%	ISO 787/7	1.0 Max
8	SiO ₂ content on anhydrous basis	%	ISO 3262/19	98.5 Min
9	Soluble Salts	%	ISO 787/13	1.5 Max
10	Iron content (as Fe+3)	ppm	ISO 5794-1, Annex.c	300 Max
11	Refractive Index	**	**	1.460
12	Transmission (at above RI)	%	**	95 Min
13	Total Heavy Metals (as Pb) (as As)	ppm	ICP-AES	10 Max 2 Max
14	Sorbitol Absorption value (on dry basis)	ml/100 g	WI-QCP-XX	420 - 520
15	Microbiological Analysis (1) TVC (2) Y & M	cfu/gm cfu/gm	WI-QCP-XX	≤ 300 ≤ 100

* Revision Date : 01.11.2019


Revision No : 01

APPLICATIONS : AS THICKENING AGENT FOR GEL / OPAQUE TOOTHPASTE FORMULATIONS

PACKING & LOGISTICS	GRADE	NET WEIGHT (KG)	SHIPMENT (MT)				
			TRUCK LOAD (MT)	CONTAINER LOAD			
				UN PALLETISED		PALLETISED	
				20' FCL	40' FCL	20' FCL	40' FCL
Laminated HDPE Bags with Inner LDPE liners	MANSIL-THK	20	7.0	5.0	11.0	3.84	9.60

Packing : Available in Paper bags, Jumbo bags & EVA bags can also be given as per customer requirement.

Remark: Work Instruction WI-QCP-XX covers GMGB internal Test Methods.



GUJARAT MULTI GAS BASE CHEMICALS PVT. LTD.

Opp. ONGC Colony, Palavasna, Mehsana-384003 (GUJARAT), INDIA

Tel. No. : +91 2762-225566, 225577

Fax No. : +91 2762-225544

E-mail : gujaratmulti@gmail.com Website : www.gmgb silica.com

An ISO 9001:2015, ISO 22000:2005
ISO 14001:2015, ISO 45001:2018 Certified Company
Product registered under REACH



Science in the service of Industry & Environment